

RAW SEQUENCE LISTING

**The Biotechnology Systems Branch of the Scientific and Technical
Information Center (STIC) no errors detected.**

Application Serial Number: 10/780,318

Source: _____

Date Processed by STIC: _____

ENTERED



IFWO

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/780,318

DATE: 12/03/2004

TIME: 08:16:49

Input Set : N:\Crf3\RULE60\10780318.raw.txt

Output Set: N:\CRF4\12032004\J780318.raw

```

1 <110> APPLICANT: Ellis, et al.
2 <120> TITLE OF INVENTION: PREVENTION OF MYOCARDITIS, ABORTION AND INTRAUTERINE
INFECTION ASSOCIATED
3     WITH PORCINE CIRCOVIRUS-2
4 <130> FILE REFERENCE: 454313-2340.2
5 <140> CURRENT APPLICATION NUMBER: US/10/780,318
6 <141> CURRENT FILING DATE: 2004-02-17
7 <150> PRIOR APPLICATION NUMBER: US/09/680,228
8 <151> PRIOR FILING DATE: 2000-10-06
9 <150> PRIOR APPLICATION NUMBER: PCT/EP00/08781
10 <151> PRIOR FILING DATE: 2000-08-28
11 <150> PRIOR APPLICATION NUMBER: 09/583,350
12 <151> PRIOR FILING DATE: 2000-05-31
13 <150> PRIOR APPLICATION NUMBER: 60/151,564
14 <151> PRIOR FILING DATE: 1999-08-31
15 <160> NUMBER OF SEQ ID NOS: 8
16 <170> SOFTWARE: PatentIn version 3.0
18 <210> SEQ ID NO: 1
19 <211> LENGTH: 1767
20 <212> TYPE: DNA
21 <213> ORGANISM: Porcine circovirus
22 <400> SEQUENCE: 1
23     aattcaacct taacctttct tattctgtag tattcaaagg gcacagagcg ggggtttgag      60
24     cccctcctcg ggggaagaaa gtcattaata ttgaatctca tcatgtccac cgcccaggag      120
25     ggcgttctga ctgtggttcg cttgacagta tatccgaagg tgcgggagag gcggggtgttg      180
26     aagatgccat ttttccttct ccagcggtaa cgggtggcggg ggtggacgag ccaggggagg      240
27     cggcggagga tctggccaag atggctgcgg gggcggtgtc ttcttctccg gtaacgcctc      300
28     cttggatacg tcatatctga aaacgaaaga agtgcgctgt aagtattacc agcgcacttc      360
29     ggcagcggca gcacctcggc agcacctcag cagcaacatg ccgagcaaga agaatggaag      420
30     aagcggaccc caaccccata aaaggtgggt gttcactctg aataatcctt ccgaagacga      480
31     gcgcaagaaa atacgggatc ttccaatatc cctatttgat tattttattg ttggcgagga      540
32     gggtaatgag gaaggacgaa cacctcacct ccaggggttc gctaattttg tgaagaagca      600
33     gacttttaat aaagtgaagt ggtatttggg tgcccgtctc cacatcgaga aagcgaaagg      660
34     aacagatcag cagaataaag aatactgcag taaagaaggc aacttactga tggagtgtgg      720
35     agctcctaga tctcagggac aacggagtga cctgtctact gctgtgagta ccttggttga      780
36     gagcgggagt ctggtgaccg ttgcagagca gcacctgta acgtttgtca gaaatttccg      840
37     cgggctggct gaacttttga aagtgagcgg gaaaatgcag aagcgtgatt ggaagactaa      900
38     tgtacacgtc attgtggggc cacctgggtg tggtaaaagc aaatgggctg ctaattttgc      960
39     agaccgggaa accacatact ggaaaccacc tagaaacaag tgggtgggatg gttaccatgg      1020
40     tgaagaagtg gttgttattg atgactttta tggttggtcg ccctgggatg atctactgag      1080
41     actgtgtgat cgatatccat tgactgtaga gactaaaggg ggaactgtac cttttttggc      1140
42     ccgcagtatt ctgattacca gcaatcagac ccggttgga tgggtactcct caactgctgt      1200
43     ccagctgta gaagctcttt atcggaggat tacttccttg gtattttgga agaatgctac      1260
44     agaacaatcc acggaggaag ggggccagtt cgtcaccctt tcccccccat gccctgaatt      1320

```

RAW SEQUENCE LISTING

DATE: 12/03/2004

PATENT APPLICATION: US/10/780,318

TIME: 08:16:49

Input Set : N:\Crif3\RULE60\10780318.raw.txt

Output Set: N:\CRF4\12032004\J780318.raw

```

45      tccatatgaa ataaattact gagtcttttt tatcacttcg taatggtttt tattattcat      1380
46      taaggggttaa gtgggggggtc tttaagatta aattctctga attgtacata catggttaca      1440
47      cggatattgt attcctggtc gtatatactg ttttcgaacg cagtgccgag gcctacgtgg      1500
48      tctacatttc cagcagtttg tagtctcagc cacagctggg ttcttttggt gtttggttgg      1560
49      aagtaatcaa tagtggaatc taggacaggt ttgggggtaa agtagcggga gtggtagggag      1620
50      aagggctggg ttatgggatg gcgggaggag tagtttacat aggggtcata ggtgagggct      1680
51      gtggcctttg ttacaaagtt atcatctaga ataacagcac tggagcccac tcccctgtca      1740
52      ccctgggtga tcggggagca gggccag                                     1767
54 <210> SEQ ID NO: 2
55 <211> LENGTH: 1767
56 <212> TYPE: DNA
57 <213> ORGANISM: Porcine circovirus
58 <400> SEQUENCE: 2
59      aattcaacct taacctttct tattctgtag tattcaaagg gcacagagcg ggggtttgag      60
60      cccctcctcg ggggaagaaa gtcattaata ttgaatctca tcatgtccac cgcccaggag      120
61      ggcgttttga ctgtggttcg cttgacagta tatccgaagg tgcgggagag gcgggtgttg      180
62      aagatgccat ttttccttct ccagcggtaa cgggtggcggg ggtggacgag ccaggggagg      240
63      cggcggagga tctggccaag atggctgcgg gggcgggtgc ttcttctccg gtaacgcctc      300
64      cttggatacg tcatatctga aaacgaaaga agtgcgctgt aagtattacc agcgcacttc      360
65      ggcagcggca gcacctcggc agcaacctg cagcaacatg ccagcaaga agaatggaag      420
66      aagcggaccc caaccccata aaagggtggg gtctactctg aataatcctt ccgaagacga      480
67      gcgcaagaaa atacgggatc ttccaatatc cctatttgat tattttattg ttggcgagga      540
68      gggtaatgag gaaggacgaa cacctcacct ccaggggttc gctaattttg tgaagaagca      600
69      gacttttaat aaagtgaagt ggtatttggg tgcccgtgc cacatcgaga aagcgaaagg      660
70      aacagatcag cagaataaag aatactgcag taaagaaggc aacttactga tggagtgtgg      720
71      agctcctaga tctcaggagc aacggagtga cctgtctact gctgtgagta ccttgttggg      780
72      gagcgggagt ctggtgaccg ttgcagagca gcaccctgta acgtttgtca gaaatttccg      840
73      cgggctggct gaacttttga aagtgcgag gaaaatgcag aagcgtgatt ggaagactaa      900
74      tgtacacgtc attgtggggc cacctgggtg tggtaaaagc aaatgggctg ctaattttgc      960
75      agaccgggaa accacatact ggaaaccacc tagaaacaag tgggtgggatg gttaccatgg      1020
76      tgaagaagtg gttgttattg atgactttta tggctggctg ccctgggatg atctactgag      1080
77      actgtgtgat cgatatccat tgactgtaga gactaaagggt ggaactgtac cttttttggc      1140
78      ccgcagtatt ctgattacca gcaatcagac cccgttgga tggtaactct caactgctgt      1200
79      ccagctgta gaagctctt atcggaggat tacttccttg gtattttgga agaatgctac      1260
80      agaacaatcc acggaggaag ggggccagtt cgtcaccctt tcccccccat gccctgaatt      1320
81      tccatatgaa ataaattact gagtcttttt tatcacttcg taatggtttt tattattcat      1380
82      taaggggttaa gtgggggggtc tttaagatta aattctctga attgtacata catggttaca      1440
83      cggatattgt attcctggtc gtatatactg ttttcgaacg cagtgccgag gcctacgtgg      1500
84      tctacatttc cagtagtttg tagtctcagc cacagctgat ttcttttggt gtttggttgg      1560
85      aagtaatcaa tagtggaatc taggacaggt ttgggggtaa agtagcggga gtggtagggag      1620
86      aagggctggg ttatgggatg gcgggaggag tagtttacat aggggtcata ggtgagggct      1680
87      gtggcctttg ttacaaagtt atcatctaga ataacagcac tggagcccac tcccctgtca      1740
88      ccctgggtga tcggggagca gggccag                                     1767
90 <210> SEQ ID NO: 3
91 <211> LENGTH: 1768
92 <212> TYPE: DNA
93 <213> ORGANISM: Porcine circovirus
94 <400> SEQUENCE: 3
95      aattcaacct taaccttttt tattctgtag tattcaaagg gtatagagat tttgttggtc      60

```

RAW SEQUENCE LISTING

DATE: 12/03/2004

PATENT APPLICATION: US/10/780,318

TIME: 08:16:49

Input Set : N:\CrF3\RULE60\10780318.raw.txt

Output Set: N:\CRF4\12032004\J780318.raw

96	ccccctcccg	ggggaacaaa	gtcgtcaata	ttaaattctca	tcatgtccac	cgcccaggag	120
97	ggcggttctga	ctgtggttagc	cttgacagta	tatccgaagg	tgcgggagag	gcgggtgttg	180
98	aagatgccat	ttttccttct	ccaacggtag	cggtggcggg	ggtggacgag	ccaggggcgg	240
99	cggcggagga	tctggccaag	atggctgcgg	gggcggtgtc	ttcttctgcg	gtaacgcctc	300
100	cttggatacg	tcatagctga	aaacgaaaga	agtgcgctgt	aagtattacc	agcgcacttc	360
101	ggcagcggca	gcacctcggc	agcacctcag	cagcaacatg	cccagcaaga	agaatggaag	420
102	aagcggaccc	caaccacata	aaaggtgggt	gttcacgctg	aataatcctt	ccgaagacga	480
103	gcgcaagaaa	atacgggagc	tcccaatctc	cctattttgat	tattttattg	ttggcgagga	540
104	gggtaatgag	gaaggacgaa	cacctcacct	ccaggggttc	gctaattttg	tgaagaagca	600
105	aacttttaaat	aaagtgaagt	ggtattttggg	tgcccgtctgc	cacatcgaga	aagccaaagg	660
106	aactgatcag	cagaataaag	aatattgcag	taaagaaggc	aacttactta	ttgaatgtgg	720
107	agctcctcga	tctcaaggac	aacggagtga	cctgtctact	gctgtgagta	ccttggttga	780
108	gagcgggagt	ctggtgaccg	ttgcagagca	gcaccctgta	acgtttgtca	gaaatttccg	840
109	cgggctggct	gaacttttga	aagtgagcgg	gaaaatgcag	aagcgtgatt	ggaagaccaa	900
110	tgtacacgtc	attgtggggc	cacctgggtg	tggtaaaagc	aaatgggctg	ctaattttgc	960
111	agacccgga	accacatact	ggaaaccacc	tagaaacaag	tggtgggatg	gttaccatgg	1020
112	tgaagaagtg	gttggtattg	atgactttta	tggtggctg	ccgtgggatg	atctactgag	1080
113	actgtgtgat	cgatatccat	tgactgtaga	gactaaaggt	ggaactgtac	cttttttggc	1140
114	ccgcagtatt	ctgattacca	gcaatcacag	cccggttgaa	tggtactcct	caactgctgt	1200
115	cccagctgta	gaagctctct	atcggaggt	tacttccttg	gtattttgga	agaatgtac	1260
116	agaacaatcc	acggaggaag	ggggccagtt	cgtcaccctt	tccccccat	gcctgaatt	1320
117	tccatatgaa	ataaattact	gagtcttttt	tatcacttcg	taatggtttt	tattattcat	1380
118	ttagggttta	agtggggggg	ctttaagatt	aaattctctg	aattgtacat	acatggttac	1440
119	acggatattg	tagtcttggt	cgtatatact	gttttcgaac	gcagtgccga	ggcctacgtg	1500
120	gtccacattt	ctagagggtt	gtagcctcag	ccaaagctga	ttccttttgt	tatttggttg	1560
121	gaagtaatca	atagtggagt	caagaacagg	tttgggtgtg	aagtaacggg	agtggtagga	1620
122	gaaggggttg	gggattgtat	ggcgggagga	gtagtttaca	tatgggtcat	aggttagggc	1680
123	tgtggccttt	gttacaaagt	tatcatctag	aataacagca	gtggagccca	ctcccctatc	1740
124	accctgggtg	atgggggagc	agggccag				1768
126	<210>	SEQ ID NO: 4					
127	<211>	LENGTH: 1768					
128	<212>	TYPE: DNA					
129	<213>	ORGANISM: Porcine circovirus					
130	<400>	SEQUENCE: 4					
131	aattcaacct	taacctttct	tattctgtag	tattcaaagg	gtatagagat	tttgttggtc	60
132	ccccctcccg	ggggaacaaa	gtcgtcaatt	ttaaattctca	tcatgtccac	cgcccaggag	120
133	ggcggttctga	ctgtggttagc	cttgacagta	tatccgaagg	tgcgggagag	gcgggtgttg	180
134	aagatgccat	ttttccttct	ccaacggtag	cggtggcggg	ggtggacgag	ccaggggcgg	240
135	cggcggagga	tctggccaag	atggctgcgg	gggcggtgtc	ttcttctgcg	gtaacgcctc	300
136	cttggatacg	tcatagctga	aaacgaaaga	agtgcgctgt	aagtattacc	agcgcacttc	360
137	ggcagcggca	gcacctcggc	agcacctcag	cagcaacatg	cccagcaaga	agaatggaag	420
138	aagcggaccc	caaccacata	aaaggtgggt	gttcacgctg	aataatcctt	ccgaagacga	480
139	gcgcaagaaa	atacgggagc	tcccaatctc	cctattttgat	tattttattg	ttggcgagga	540
140	gggtaatgag	gaaggacgaa	cacctcacct	ccaggggttc	gctaattttg	tgaagaagca	600
141	aacttttaaat	aaagtgaagt	ggtattttggg	tgcccgtctgc	cacatcgaga	aagccaaagg	660
142	aactgatcag	cagaataaag	aatattgcag	taaagaaggc	aacttactta	ttgaatgtgg	720
143	agctcctcga	tctcaaggac	aacggagtga	cctgtctact	gctgtgagta	ccttggttga	780
144	gagcgggagt	ctggtgaccg	ttgcagagca	gcaccctgta	acgtttgtca	gaaatttccg	840
145	cgggctggct	gaacttttga	aagtgagcgg	gaaaatgcag	aagcgtgatt	ggaagaccaa	900

RAW SEQUENCE LISTING

DATE: 12/03/2004

PATENT APPLICATION: US/10/780,318

TIME: 08:16:49

Input Set : N:\CrF3\RULE60\10780318.raw.txt

Output Set: N:\CRF4\12032004\J780318.raw

146	tgtacacgtc attgtggggc cacctgggtg tggtaaaagc aaatgggctg ctaattttgc	960
147	agacccgga accacatact ggaaaccacc tagaaacaag tgggtgggatg gttaccatgg	1020
148	tgaagaagtg gttgttattg atgactttta tggctggctg ccgtgggatg atctactgag	1080
149	actgtgtgat cgatatccat tgactgtaga gactaaaggt ggaactgtac cttttttggc	1140
150	ccgcagtatt ctgattacca gcaatcagac cccgttgga tggtaactct caactgctgt	1200
151	cccagctgta gaagctctct atcggaggat tacttccttg gtattttgga agaatgctac	1260
152	agaacaatcc acggaggaag ggggccagtt cgtcaccctt tccccccat gccctgaatt	1320
153	tccatatgaa ataaattact gagtcttttt tatcacttcg taatggtttt tattattcat	1380
154	ttagggttta agtggggggg ctttaagatt aaattctctg aattgtacat acatggttac	1440
155	acggatattg tagtcctggg cgtattttact gttttcgaac gcagcgccga ggcctacgtg	1500
156	gtccacatth ccagaggtht gtagtctcag ccaaagctga ttccttttgt tatttggttg	1560
157	gaagtaatca atagtggagt caagaacagg tttgggtgtg aagtaacggg agtggttagga	1620
158	gaagggttgg gggattgtat ggcgggagga gtagtttaca tatgggtcat aggttagggc	1680
159	tgtggccttt gttacaaagt tatcatctag aataacagca gtggagccca ctcccctatc	1740
160	accctgggtg atggggggagc agggccag	1768
162	<210> SEQ ID NO: 5	
163	<211> LENGTH: 1759	
164	<212> TYPE: DNA	
165	<213> ORGANISM: Porcine circovirus	
166	<400> SEQUENCE: 5	
167	aattcatatt tagcctttct aatacggtag tattggaaaag gtaggggtag ggggttggtg	60
168	ccgcctgagg gggggaggaa ctggccgatg ttgaatttga ggtagttaac attccaagat	120
169	ggctgcgagt atcctccttt tatggtgagt acaaattctg tagaaaggcg ggaattgaag	180
170	atacccgctc ttcggcgcca tctgtaacgg tttctgaagg cggggtgtgc caaatatggt	240
171	cttctccgga ggatgtttcc aagatggctg cgggggcggg tccttcttct gcggtaacgc	300
172	ctccttgccc acgtcatcct ataaaagtga aagaagtgcg ctgctgtagt attaccagcg	360
173	cacttcggca gcggcagcac ctcggcagcg tcagtgaaaa tgccaagcaa gaaaagcggc	420
174	ccgcaacccc ataagagggtg ggtgttcacc cttaataatc cttccgagga ggagaaaaac	480
175	aaaatacggg agcttccaat ctcccttttt gattattttg tttgcggaga ggaaggtttg	540
176	gaagagggta gaactcctca cctccagggg tttgcgaatt ttgctaagaa gcagactttt	600
177	aacaagggtg agtggatatt tgggtgcccgc tgccacatcg agaaagcgaa aggaaccgac	660
178	cagcagaata aagaatactg cagtaaagaa ggccacatac ttatcgagtg tggagctccg	720
179	cgaaccagg ggaagcgcag cgacctgtct actgctgtga gtaccctttt ggagacgggg	780
180	tctttggtga ctgtagccga gcagttccct gtaacgtatg tgagaaattt ccgcgggctg	840
181	gctgaacttt tgaaagtga cggaagatg cagcagcgtg attggaagac agctgtacac	900
182	gtcatagtgg gccgcggg ttgtgggaag agccagtggg ccgtaattt tgctgagcct	960
183	agggacacct actggaagcc tagtagaaat aagtggtagg atggatatca tggagaagaa	1020
184	gttggtgttt tggatgattt ttatggctgg ttaccttggg atgatctact gagactgtgt	1080
185	gaccggtatc cattgactgt agagactaaa gggggtactg ttcctttttt gggccgcagt	1140
186	attttgatta ccagcaatca ggccccccag gaatggtagt cctcaactgc tgtcccagct	1200
187	gtagaagctc tctatcgag gattactact ttgcaatttt ggaagactgc tggagaacaa	1260
188	tccacggagg taccggaagg ccgatttgaa gcagtggacc caccctgtgc ctttttccca	1320
189	tataaaataa attactgagt cttttttgtt atcacatcgt aatggttttt atttttattt	1380
190	atttagaggg tcttttagga taaattctct gaattgtaca taaatagtca gccttaccac	1440
191	ataattttgg gctgtggctg cattttggag cgcatagccg aggcctgtgt gctcgacatt	1500
192	ggtgtgggta tttaaagtga gccacagctg gtttctttta ttatttgggt ggaaccaatc	1560
193	aattgtttgg tccagctcag gtttgggggt gaagtacctg gagtggtagg taaagggctg	1620
194	ccttatgggtg tggcgggagg agtagttaat ataggggtca taggccaagt tggtagggg	1680
195	ggttacaaag ttggcatcca agataacaac agtggaccca acacctcttt gattagaggt	1740

RAW SEQUENCE LISTING

DATE: 12/03/2004

PATENT APPLICATION: US/10/780,318

TIME: 08:16:49

Input Set : N:\CrF3\RULE60\10780318.raw.txt

Output Set: N:\CRF4\12032004\J780318.raw

```

196      gatgggggtct ctgggggttaa                                1759
198 <210> SEQ ID NO: 6
199 <211> LENGTH: 1768
200 <212> TYPE: DNA
201 <213> ORGANISM: Porcine circovirus
202 <220> FEATURE:
203 <221> NAME/KEY: misc_feature
204 <222> LOCATION: (1)..(1768)
205 <223> OTHER INFORMATION: nucleotide "n" can be either of the nucleotides 'a', 'c',
" g' or
206      "t"
207 <400> SEQUENCE: 6
208      gaattcaacc ttaacctttt ttattctgta gtattcaaag ggtataaaga ttttgttggt      60
209      cccccctccc gggggaacaa agtcgtcaat attaaatctc atcatgtcca ccgcccagga      120
210      gggcggttctg actgtggtag ccttgacagt atatccgaag gtgcgggaga rgcggtgtgt      180
W--> 211      gaaaatgcc a tttttccttc tccaacggta gcggtggcgg ggggtggacma nccacgggcg      240
212      gcggcggawg atctggccaa gatggctgcg ggggcgggtgt cttcttctgc ggtaacgcct      300
213      ccttgatac  gtcataagctg aaacgaaag aagtgcgctg taagtattac cagcgcactt      360
214      cggcagcggc agcacctcgg cagcacctca gcagcaacat gccagcaag aagaatggaa      420
215      gaagcggacc ccaaccacat aaaagggtggg tggtcacgct gaataatcct tccgaagacg      480
216      agcgcaagaa aatacgggag ctcccaatct ccctatttga ttattttatt gttggcgagg      540
217      agggtwwtga ggaangacga acacctcacc tccagggggt cgctaatttt gtgaagaagc      600
218      aaacttttaa taaagtgaag tggattttgg gtgcccgtg ccacatcgag aaagccaaag      660
219      gaactgatca gcagaataaa gaatattgca gtaaagaagg caacttactt attgaatgtg      720
220      gagtcctcgc atctcaagga caacggagtg acctgtctac tgctgtgagt acctgttggt      780
221      agagcgggag tctggtgacc gttgcagagc agcacctgt aacgtttgtc agaaatttcc      840
222      gcgggctggc tgaacttttg aaagtgcgc ggaaaatgca gaagcgtgat tggaagacca      900
223      atgtacacgt cattgtgggg ccacctgggt gtggtaaaag caaatgggct gctaattttg      960
224      cagaccggga aaccacatac tggaaaccac ctagaaacaa gtggtgggat ggttaccatg      1020
225      gtgaagaagt ggttgttatt gatgactttt atggctggct gccgtgggat gatctactga      1080
226      gactgtgtga tcgatatcca ttgactgtag agactaaagg tggaaactgta cnnnnnnnngg      1140
227      cccgcagtat tctgattacc agcaatcaga ccccgttgga atggtactcc tcaactgctg      1200
228      tcccagctgt agaagctctc tatcggagga ttacttcctt ggtatttttg aagaatgcta      1260
229      cagaacaatc cacggaggaa gggggccagt tngtcacctt tccccccca tgccctgaat      1320
230      ttccatatga aataaattac tgagtctttt ttatcacttc gtaatggttt ttattattca      1380
231      tttagggttt aagtgggggg tctttaagat taaattctct gaattgtaca tacatggtta      1440
232      cacggatatt gtagtcctgg tcgtatatac tgttttcgaa cgcagtgccg aggcctacgt      1500
233      ggtccacatt tctagagggt tgtagcctca gccaaagctg attccttttg ttatttggtt      1560
234      ggaagtaatc aatagtggag tcaagaacag gtttgggtgt gaagtaacgg gagtggtagg      1620
235      agaagggttg ggggattgta tggcgggagg agtagtttac atatgggtca taggttaggg      1680
236      ctgtggcctt tgttacaaaag ttatcatcta gaataacagc agtggagccc actcccctat      1740
237      caccctgggt gatgggggag cagggccca                                1768
239 <210> SEQ ID NO: 7
240 <211> LENGTH: 1768
241 <212> TYPE: DNA
242 <213> ORGANISM: Porcine circovirus
243 <220> FEATURE:
244 <221> NAME/KEY: misc_feature
245 <222> LOCATION: (1)..(1768)
246 <223> OTHER INFORMATION: nucleotide "k" can be either "g" or "t" and

```

RAW SEQUENCE LISTING ERROR SUMMARY

DATE: 12/03/2004

PATENT APPLICATION: US/10/780,318

TIME: 08:16:50

Input Set : N:\Crf3\RULE60\10780318.raw.txt

Output Set: N:\CRF4\12032004\J780318.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:6; N Pos. 231,555,1132,1133,1134,1135,1136,1137,1138,1292

Invalid Line Length:

The rules require that a line not exceed 72 characters in length. This includes spaces.

Seq#:1; Line(s) 2

Seq#:6; Line(s) 205

VERIFICATION SUMMARY

PATENT APPLICATION: US/10/780,318

DATE: 12/03/2004

TIME: 08:16:50

Input Set : N:\Crf3\RULE60\10780318.raw.txt

Output Set: N:\CRF4\12032004\J780318.raw

L:211 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6 after pos.:180

M:341 Repeated in SeqNo=6